




High Performance Exterior Security Doorsets

First for Security



Quality products from ScotVu

We are Scotland's leading supplier of high quality, high performance security external doorsets and have extensive specialist experience in supplying to all types of projects – from commercial applications such as schools and hospitals through to new build homes and offices.



Complete

The doorsets shown in this brochure provide an enhanced level of security as standard, with a locking system fitted and tested to the latest British standards. Combined with the technology and design, these doorsets provide an exceptional high level of resistance to forced entry. The security doorsets are supplied as a complete doorset with frame and ironmongery fully factory assembled.

Performance

High thermal performance is an ever-increasing requirement to protect against heat loss, so along with the security aspect provided, these doorsets can provide U values as low as $0.9W/m^2K$. The timber composite material which the doors are manufactured from provides stability, resisting heat and cold without twisting or bowing.

Guaranteed

As part of our responsibility to our customers and confidence in our product, we offer a 10-year manufacturing and stability guarantee with the doorsets.



Door Construction

Door Slab

- Foam slab core sealed between cross-banded veneer and 0.6mm (approx 24SWG thickness) aluminium stabilising sheet.
- Edged with rebated timber stiles and rails.
- Door thickness 62mm.
- Open in as standard.
- Slab design both internal /external faces.

Door Frame

- Head and jambs manufactured from engineered softwood, fully machined, assembled and pre-drilled to accept screw fixings for installations.
- Double rubber compression weather strips create a continuous seal between the door and frame.
- Aluminium threshold compliant with Part Q and M—to meet Barrier-free access regulations.

Ironmongery

Hinges

- Heavy duty fully adjustable steel hinges.

Lock and cylinder

- Multiple 3-point Assa Abloy espagnolette locking system, tested to BS3631:1980 with adjustable security striking plate fitted as standard.
- Oval cylinder.

Letterbox

- High quality ABS framed letter plate assembly combining black brush strip and draught excluding flap seals. Telescopic sleeve for a perfect fit and wide (12"). Mailmaster 180 degree outward opening letter flap.

Door viewer

- Fitted as standard in satin chrome.

Handles

- Fitted as standard in satin chrome.

Door Styles



Turnberry
Teak-stained



Troon
Teak-stained



Gleneagles
Teak-stained



Carnoustie
Teak-stained



Muirfield
Teak-stained



Single Sidelight
Teak-stained

Available doorset size (nominal):

Height 2080mm x Width 989mm

Door slab: Height 2030mm x Width 925mm

Sidelights

Sidelights are available for almost any existing entrance way.

Widths available: 300mm, 400mm, 500mm & 600mm.

Laminated Glazing

Cotswold

Glass Specifications

Door styles with glazing incorporate 24mm low Emissivity gas filled glazing units for maximum energy saving. The outer pane is laminated as standard, meeting the requirements of BS6262 Part 4: 1994.



Security Doorset Range Guide

Thermal performance	Teak Stained Veneer Security Doorset	Standard sizes	5 door styles	Size and sidelight options	Laminated double glazed	Secured by Design	10 year guarantee	Slab Design both internal/external faces
Down to 0.9 W/m²K	✓	✓	✓	✓	✓	✓	✓	✓



Technical performance

Our security doorsets have been independently tested to meet the requirements of BS....., achieving the following performance classifications:

- Air permeability600Pa
- Water tightness200Pa
- Wind resistance2400Pa

The security performance of the doorset, meets the requirements of PAS23/24, the standard set out for enhanced security performance for doorsets.


Decoration

The doorsets are supplied in a fully finished, double lacquered in teak as standard. The factory finish lacquer is formulated to seal the end grain against moisture egress and give the timber a quality look and feel.

The Environment

ScotVu is committed to ensuring that the products we provide comply with applicable environmental laws and regulations. Timber used in the doorsets comes from FSC Chain of Custody Certified sources.

ScotVu Security Door Vertical Section



ASSA ABLOY



International Doors and Windows

Unit 3
Mugiemoos Road
Aberdeen
AB21 9US

TEL: 01224 682229
FAX: 01224 681821

International Doors and Windows

9 Tollpark Road
Wardpark Industrial Estate
Cumbernauld
G68 0LW

TEL: 01236 724839
FAX: 01236 726997